



Our industrial designers Ida Eriksson and Gustav Berg have been working closely with the R&D Department to create a new and innovative home lift design. "Our role as designers is to build a bridge between engineering and usability, creating beautiful and sustainable lifts with an intuitive design." Ida & Gustav

Cibes Challenger has a timeless and intuitive design, offering you an even greater choice of colours and materials to blend in perfectly with the unique style and character of your home.



Silent, Energy-efficient Ecosilent

We want you to be able to enjoy the comfort of your lift, day and night, without ever waking your family. To offer you and your loved ones a smooth and quiet ride, we took inspiration from the serenity of Swedish nature. The result is virtually soundless.





Lifting screw

The lifting screw has a 3 x higher pitch (36 mm) and the new screw joints are so smooth that you hardly notice them during lift travel.



Guiderail Joints

Design upgrade, they eliminate the vibration from guiderail connection during lift travel.





Guide rollers

The guide rollers reduce the frictional force by 90% and need no lubrication, which facilitates maintenance.



SilentBox

The drive unit is enclosed in an elegant soundproof metal casing, designed to cover up the drive unit and to eliminate high-frequency noise.



Drive unit

The new drive unit has been completely redesigned for silent and energy-efficient operation.



A lift equipped with our innovative drive system carries Energy Label A and uses 45% less energy than a lift without. Yearly energy consumption based on a 2 stop lift with 3.6 m travel, equipped with EcoSilent and a frequency of use of 20 travels/day. Energy classification according to VDI 4707 Part 1: 2009. Tests conducted by Liftinstituut B.V. www.liftinstituut.com. Decibels measured 2 m from the lift, at constant speed and with a 150 kg load. All tests conducted by Springwell Audio AB, member of the Swedish Acoustical Society, www.springwellaudio.se.

GENERATION SHAFT

FIVE SURFACE PANORAMIC GLASS

The Cibes Voyager comes with a brand new shaft, designed to showcase your home.

The four-side panoramic glass shaft has always been one of the advantages of CIBES. Our new product, has in addition to the four-sided glass shaft also a mirror ceiling effect, which gives a 5 sides glass experience, increasing the sense of space permeability.

Our most luxurious shaft yet







Premium Series has standard Lift Status Indicator

- > CONTROL PANEL WITH LARGE, EASY TO READ NO.
- LIGHT, SOUND AND FEEL OF THE INTERFACE!

Premium Series comes standard with touch panel with both visual and feel (vibration) indicators when calling the lift.











CIBES VOYAGER









ECOSILENT DRIVEN UNIT-PATENT TECHNICAL

Energy conservation and environmental Ecofriendly. Lower Energy Consumption, Lower Sound Levels, Lower Consumption of lubricant (guide rail), Lower Frequency of maintenance.





HIGH END


DESIGN


LED Back Lit Luminescent Control & Service Panel with High-End Designs to match the home decoration. Aurora Series has rich background options inspired by the following carefully selected themes.

- > MINERAL SERIES
- GEOMETRY SERIES
- > WATERCOLOUR SERIES
- > CULTURE SERIES



AURORA SERIES PATTERNIS





IMPERIAL BLACK









COBALT BLUE





SANDSTONE CANYON




























DRAGON SEA PAVONA FEATHERS

PHARAOH

LONG SPRING SEVEN ISLANDS

TUSCAN SUN



GALAXY SERIES PATTERNS

INTERSTELLAR EXPERIENCE YOUR HOME


High Tech Effect RGBW LED Laser Light Effect on Control & Service Panel (fixed or changing LED colors).







AWAKENING FARADAY




LIMITED EDITION PATTERNS

CRAFTSMAN HIGH END FINISHES

DEEP WALNUT

NORTHERN BEECH

On all aluminum surfaces of platform to provide a premium feel. Available in leather, wood and carbon fiber finishes.



CARBON FIBER



DESIRED SIZE FOR YOUR LIFT

FROM MULTIPLE SIZES


SIZE OPTIONS

SIZE	PLATFORM (mm)		SHAFT SIZE (mm)		CUT OUT SIZE (mm)	
	LENGTH	WIDTH	LENGTH	WIDTH	LENGTH	WIDTH
XS	600	830	960	872	1020	980
S	800	830	1160	872	1220	980
S	900	830	1260	872	1320	980
S	1000	830	1360	872	1420	980
S	800	930	1160	972	1220	1080
S	900	930	1260	972	1320	1080
S	1000	930	1360	972	1420	1080
S	1100	930	1460	972	1520	1080
M	800	1250	1160	1259	1220	1380
М	900	1250	1260	1259	1320	1380
М	1000	1300	1360	1309	1420	1430
М	1000	1400	1360	1409	1420	1530
L	1100	1400	1460	1409	1520	1530
L	900	1500	1260	1509	1320	1630
L	1000	1500	1360	1509	1420	1630
	1100	1500	1460	1509	1520	1630
XL	1100	1600	1460	1639	1520	1760

NOTE: The above dimensions are for reference, take a final size per final site measurement. L=LENGTH: Perpendicular to machine room. W=WIDTH: Parallel to machine room.



ALESTA PREMIUM SERIES



ALESTA FINE TEXTURES



ALESTA MINERAL SERIES



FLOOR OPTIONS





Altro Contrax Nearly Black



Surestep Grey Seagrass 18562



Surestep - Wood Natural Oak 18942



Safestep Aqua Taupe 180232



Surestep - Wood Rustic Oak 18972



Surestep Original Umber 171262



Surestep Star Snow 178082



Surestep Pepper 171562



Surestep Black Seagrass 18572



Surestep Quartz Stone 17512







Ädelmetall - 8014H



Vävd ECO - 44010



Stjärnklar - ECO 8019H



Nattsvart - 11010BS



Guldkant - 8053H



Ström - ECO 8013H



*Black pine



Maple



Teak



Pearwood



Cherry



VOYAGER LIT&AIR

High powered fan is variable speed and requires additional space on the platform. It is designed to fit with the design of the Galaxy Awakening, to be a clean black control panel.

By having high velocity air speed, the user of the lift can be cooled down by several degrees while using the lift





✓ LiT (Light): lighting and ceiling system lighting on safety edge



✓ Air : A fan version available only on Galaxy Series.

CIBES VOYAGER LIT & AIR

GALAXY AIR SERIES

INTERSTELLAR EXPERIENCE STAY IN YOUR HOME

KEY FEATURES

- ✓ No Pit, No Machine Room
- ✓ Friendly 1250 mm height Platform
- ✓ Platform Control and Service Panel back wall color available in Black (standard)
- ✓ Voyager LiT as standard
- ✓ Loads: 300-500 kg
- ✓ Motor: 1.5 kW or 2.2 kW
- ✓ Power Supply: 220 v or 380 v
- ✓ SAFIS Safety Information System
- √ 17 sizes options








High Tech Effect RGBW LED Laser Light Effect on Control & Service Panel (fixed or changing LED colors).









FARADAY

CIBES VOYAGER LIT & AIR

ELEGANCE AIR SERIES

COMFORTABLE & FRESH

KEY FEATURES

- ✓ No Pit, No Machine Room
- ✓ Friendly 1250 mm height Platform
- ✓ Platform Control and Service Panel back wall color available in Black (standard)
- ✓ Voyager LiT as standard
- ✓ Loads: 300-500 kg
- ✓ Motor: 1.5 kW or 2.2 kW
- ✓ Power Supply: 220 v or 380 v
- ✓ SAFIS Safety Information System
- √ 17 sizes options












SPACE-SAVING LIFT SOLUTIONS

Cibes home lifts are machine room less, compact lift solutions, which have a low pit and top height compared to conventional lifts.



Top safety edge



Innovative safety functions
While most platform lifts have large and industrial-looking buttons for the emergency stop and lift alarm, the innovative design of the Cibes Challenger incorporates these essential safety functions much more elegantly, in two flush mounted buttons placed at the top of the platform back panel.

Ergonomic handrail
The handrail of the Cibes Challenger has a unique, intuitive design. You simply put your hand on the destination button to travel, and relieve the pressure to stop. This ingenious design makes use of your natural instinct to lean on the handrail, offering you and your loved ones effortless travel.



CHALLENGER TEXTILE Natural fabrics like linen and wool never go out of style. Linen adds cool sophistication to the room, while the rich texture of wool has warm and welcoming feel. Backpanel of platform available in: • Light grey wool Light blue linen Light blue linen Grey wool



Safety edges

The top safety edge is located behind the upper bar of the back panel and it will stop the lift instantly when touched.

The safety edges framing the platform floor, stop the lift at the slightest touch. Availabe in any RAL or premium colour as an option, and possible to equip with programmable LED light, the floor safety edges constitute an important part of the overall lift design.







Safety edge with LED lights

Standard safety edge

Lift display

The lift display includes a 7" screen with a large floor indicator. The display is covered with semi transparent mirror glass to create an elegant and futuristic look.



DecoLegno®

This unique material has a matte, velvety surface, which is soft to the touch. Easy to clean and resistant to scratches and finger prints, DecoLegno[®] is a very durable material. Available for the front panel of the platform in white, black or beige colour.



HM00 Piombo Total White



HM01 Piombo Beige



HM07 Piombo Nero

CREATE YOUR UNIQUE DESIGN

WOOD

Enhance the beauty of your home by combining different colours and textures with your favorite grain of wood.



Shaft: Powder coated in RAL 5014, tinted glass Back panel: Oak Front panel: Powder coated in RAL 5014 Handrail & top safety edge: Natural anodised aluminium Floor: Customised wood laminate floor.



Shaft: Powder coated in Alesta Amethyst 2, tinted glass Back panel: Bamboo Front panel: Black DecoLegno Piombo HM07 Handrail & top safety edge: Natural anodised aluminium Floor: Customised tiles.



Shaft: Powder coated in RAL 9016, clear glass Back panel: Oak Front panel: White DecoLegno Piombo HM00 Handrail & top safety edge: Powder coated in RAL 9016 Floor: Customised tiles.

TEXTILE

Combine the rich textures of wool and linen with different colours to add softness and elegance to your interior design.



Shaft: Steel panels powder coated in RAL 1019 Back panel: Light blue linen Front panel: Powder coated in RAL 1019 Handrail & top safety edge: Natural anodised aluminium Floor: Customised wood laminate floor.



Shaft: Powder coated in Roman Gold, clear glass Back panel: Grey wool Front panel: Powder coated in Roman Gold Handrail & top safety edge: Natural anodised aluminium Floor: Standard floor Altro Contrax, black.



Shaft: Powder coated in RAL 8022, clear glass Back panel: Grey wool Front panel: Powder coated in RAL 6020 Handrail & top safety edge: Powder coated in RAL 9005 Floor: Surestep Material Black Seagrass.

METAL

Mix and match different colours for great contrast or go for a monochrome lift design to create calm and harmony.



Shaft: Standard white steel panels Back panel: Powder coated in RAL 9016 Front panel: Powder coated in RAL 9005 Handrail & top safety edge: Natural, anodised aluminium Floor: Standard floor Altro Contrax, black.



Shaft: Natural, anodised aluminium, clear glass Back panel: Powder coated in RAL 9016 Front panel: Powder coated in RAL 7004 Handrail & top safety edge: Natural, anodised aluminium Floor: Surestep Material Quartz Stone



Shaft: Powder coated in RAL 7021, clear glass Back panel: Powder coated in RAL 7021 Front panel: Powder coated in RAL 7021 Handrail & top safety edge: Powder coated in RAL 7021 Floor: Surestep Material Grey Seagrass.

TECHNICAL INFORMATION

LED LIGHT Energy-saving and durable shaft lighting



LOCKING SYSTEMS
We offer various locking systems for your lift.



DOOR ALTERNATIVES
Steel, aluminium or fire rated.



CALL BUTTONS



Call button. White, grey or black face plate.



Touchscreen call button.
Integrated level indicator.



Call button. RFID tag reader for auto lock.



Remote call button.

ACCESS CONFIGURATIONS



Single entry (2 stops)



Adjacent (2 stops)



Open-through (3 stops)

PLATFORM SIZES & RATED LOAD

CIBES CHALLENGER PLATFORM LIFT - LOW BACK 1250 MM

Platform size, mm (w x d)	Rated load
600 x 830	300 kg*, 1-2 persons
800 x 830	300 kg*, 3 persons
900 x 830	300 kg*, 3 persons
1000 x 830	300 kg*, 3 persons
800 x 930	300 kg*, 3 persons
900 x 930	300 kg*, 3 persons
1000 x 930	300 kg*, 3 persons
1100 x 930	300 kg*, 3 persons
800 x 1250	400 kg**, 4-5 persons
900 x 1250	400 kg**, 3 persons
1000 x 1300	400 kg**, 4-5 persons
1000 x 1400	400 kg**, 4-5 persons
1100 x 1400	400 kg**, 4-5 persons
900 x 1500	400 kg**, 4-5 persons
1000 x 1500	400 kg**, 4-5 persons
1100 x 1500	400 kg**, 4-5 persons
1100 x 1600	500 kg, 4-5 persons

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION				
Lift location	Indoor,Outdoor			
Rated load	300-500 kg			
Rated speed	0.15 m/s			
Max travel	20 m			
Max number of stops	6			
Top height	2250/1300 mm			
Height of platform back	1250 mm			
Lift pit	60 mm			
Lift shaft	Modular lift shaft in steel or glass			
Doors	Single hinged			
Door models	Steel doors, steel gates, aluminium doors, fire rated doors***			
Door clear opening steel doors (w x h)	900 x 2000 mm****			
Door clear opening steel gate (w x h)	900 x 1300 mm****			
Door clear opening aluminium doors (w x h)	900 x 2070 mm****			
Door clear opening fire rated doors (w x h)	900 x 2000 mm****			
Drive system	Screw and nut, with safety nut			
Control system	Micro computer based			
Power supply	3 x 400 VAC 50 Hz 16 A (standard), 1 x 230 VAC			
Motor power	1.5 kW Ecosilent , 2.2 kW Cicon ,4kW			
Manufactured in	Sweden			

- * option 400 kg.
- * * option 500 kg.
- *** Doors fire rated El60 according to EN 81-58. Fire rated doors must be combined with a site-built shaft with equivalent or higher fire rating, depending on local regulations.
- **** Standard door clear opening for platform width 1000-1100 mm.



CRYSTAL

Pure Glass

Best combined with our Glass Shaft, the all-glass Crystal is for customers who want a view - perfect for middle of the stairs!





Ceiling

Light Ceiling.

Multi-functional integrated speaker

Speaker for emergency phone, voice announcement and arrival signal.

Level indicator

The 3" display is integrated with the control panel.

Control panel with touchscreen

User-friendly and responsive touchscreen controls with back light.

Handrail

Elegant, ergonomic handrail in black anodized aluminium.

Door Types

Glass Sliding Door.



MIRROR

Palatial Luxury

Just like Versailles, the Mirror offers a floor-to-ceiling mirror and wooden finish options for a luxurious touch.





Electric screw-driven, no hydraulic system, stable performance, safe and reliable No self-contained shaft and does not require a separate machine room

Only need to reserve 100 mm for the pit and 2500 mm for the top height

Visual touchscreen control panel with backlight and external call button

Floor display LCD screen, Mirror inside the elevator cabin

Security alarm button, emergency call function

Built-in SAFIS voice prompt system





SNOW

Simple and Clean

The Snow is our simple and no-frills solution - an extremely safe but minimalist fiberboard cabin that comes in any color!





Electric screw-driven, no hydraulic system, stable performance, safe and reliable No self-contained shaft and does not require a separate machine room

Only need to reserve 100 mm for the pit and 2500 mm for the top height

Classic mechanical buttons inside the elevator cabin, external call buttons equipped with backlight

Simple Nordic style with a diverse selection of materials, floor designs, colors and more









CUSTOMISE YOUR LIFT

Discover our wide range of colours, materials and floors. For more information, please visit www.cibeslift.com.

LAMINATE FOR CABIN WALLS



FLOOR OPTIONS



CABIN SIZES & FLOOR CUT OUT







C1 PURE WITH READY-MADE SHAFT

CABIN SIZE W x D	FLOOR CUT OUT W x D Doors on the same side	FLOOR CUT OUT W x D Doors on opposite sides
900 x 950	1410 x 1310	1410 x 1450
900 x 1200	1410 x 1560	1410 x 1700
900 x 1400	1410 x 1740	1410 x 1900
1100 x 1200	1610 x 1560	1610 x 1700
1100 x 1400	1610 x 1740	1610 x 1900
1100 x 1700	Not available	Not available

C1 PURE FOR SITE-BUILT SHAFT

CABIN SIZE W x D	FLOOR CUT OUT W x D Doors on the same side	FLOOR CUT OUT W x D Doors on opposite sides		
900 x 950	1350 x 1240	1350 x 1410		
900 x 1200	1350 x 1490	1350 x 1660		
900 x 1400	1350 x 1690	1350 x 1860		
1100 x 1200	1550 x 1490	1550 x 1660		
1100 x 1400	1550 x 1690	1550 x 1860		
1100 x 1700	1550 x 1990	1550 x 2160		

^{*}Rated load $1100 \times 1200 \text{ mm} = 525 \text{ kg}, 1100 \times 1400 \text{ mm} = 630 \text{ kg}, 1100 \times 1700 \text{ mm} = 630 \text{ kg}.$

DOOR MODELS

Cibes C1 Pure is equipped with automatic telescopic doors, for the landings and cabin. For your safety, there is a light curtain between the two sets of doors, which prevents the doors from closing if the light curtain is breached.



Push button with white, grey or black face plate



RFID tag reader for auto lock



Key lock for auto lock/central lock



\$

Touchscreen call button with integrated level indicator







Level indicator in elegant zinc frame

Code lock for auto lock

^{**}when travel height is more than 15 m. the rated load will be reduces from 630 kg. to 400 kg.





CIBES CLASSIC

A PERFECT PASSENGER LIFT

Cibes Classic designed for fast installation and easy usage.

Platform Size (WxD)	Cut Out Size (WxD)
(mm x mm)	(mm x mm)

600 x 830	1020 x 980
800 x 830	1200 x 993
900 x 830	1300 x 993
1000 x 830	1400 x 993
800 x 930	1200 x 1093
900 x 930	1300 x 1093
1000 x 930	1400 x 1093
1100 x 930	1500 x 1093
800 x 1250	1200 x 1380
900 x 1250	1300 x 1380
1000 x 1300	1400 x 1430
1000 x 1400	1400 x 1530
1100 x 1400	1500 x 1530
900 x 1500	1300 x 1630
1000 x 1500	1400 x 1630
1100 x 1500	1500 x 1630
1100 x 1600	1500 x 1760





CIBES B385

AN OPEN PLATFORM LIFT FOR ALL KIND OF ENVIRONMENTS

Cibes B385 has been designed to provide a cost-effective solution for easy access in the majority of environments

LOAD CAPACITY: 385 KG

Platform Size (W x D) Cut Out Size (W x D)

(mm x mm) (mm x mm) 1100 x 1400 1490 x 1520 1100 x 1600 1490 x 1720





CIBES EXTRA

THE MOST POWERFUL SCREW DRIVEN ELEVATOR IN THE WORLD FOR HOME OR INDUSTRIAL USE

Cibes Extra A robust platform lift designed and dimensioned for loads up to 1,000 kg.

Platform Size (W x D) Cut Out Size (W x D)

 (mm x mm)
 (mm x mm)

 1000 x 2000
 1420 x 2130*

 1405 x 1980
 1865 x 2120

 1405 x 2480
 1865 x 2620

 1105 x 2180
 1565 x 2320

*loads 500 kg





CIBES SWEDEN

+70 YEARS HISTORY

Cibes Lift Group is one of the world's largest manufacturers of low-speed lifts with headquarters in Sweden.

High-quality Swedish engineering and great design are the secrets behind our success. The factory in Sweden is located in Gävle, Sweden which has one of the top ten ports in Sweden. This helps our product to get exported more efficiently and conveniently.

The Swedish factory has a production area of more than 10,000 m² and is equipped with state-of-the-art machinery. Cibes has sold and installed more than 40,000 units in more than 50 countries, providing each user with the convenience of vertical travel.

1947 1950s 1960s 1970s 1980s 1990s 2003 Establishing the 1st generation Roll out of A model product Acquired by Export to established Solna factory B model product Successfully European markets obtained the market JÄRBO factory



We made a successful opening, as our clients are various and elite with high profile. We had Ajarn Chakrabhand Posayakrit; Thailand National Artist nominated Year 2000

Our Cibes lifts firstly debuted to Thailand market since 2011 via local distributor. However, as Cibes was not the their focusing area, and after market researchfrom our team from Sweden with potentiality, We decided to start our first direct branch of Cibes Lift Group. Here in 2016, despite challenges as a newcomer for platform lift with screw-driven technique.

In 2017, as private home clients were still focusing on wheelchair accessible lifts for their elders, the real estate project developers were following closely this trend of luxurious house furnished with home lift.

Medal

In 2018, equipped with product background, installation profile and reference among real estate circles, Cibes TH role was getting strengthened constantly, that we have been frequently receiving contacts with interest from other clients with requirement of platform lift as commercial use.

Currently, Cibes Lift reputation in Thailand is getting stronger, not only by verbal reference from friends to friends, but also among developer/cooperate references.

2007-'10 2011 2012 2013 -'17 2016 2017 2018 2019 2020 **CIBES LIFT** Gavle factory **CIBES LIFT** Acquired by Acquisition of Local Continuous Turnover New factory **New Showroom KALEA & NTD** distributor Thailand Branch NALKA 1 billion Swedish inverstment and expansion CEO took Europe and Asia kronor Voyager launch **HERMES** office



Cibes Lift (Thailand) Co., Ltd. 891/49-52 Rama 3 Road, Bangpongpang, Yannawa, Bangkok 10120

Head Office: 02 114 6500, Email: thailand@cibeslift.com (Mon-Fri, 09.00-18.00)

Sales Hotline: 02 114 6499, Email: support_th@cibeslift.com (24 Hrs.)